

General Disclaimer

One or more of the Following Statements may affect this Document

- This document has been reproduced from the best copy furnished by the organizational source. It is being released in the interest of making available as much information as possible.
- This document may contain data, which exceeds the sheet parameters. It was furnished in this condition by the organizational source and is the best copy available.
- This document may contain tone-on-tone or color graphs, charts and/or pictures, which have been reproduced in black and white.
- This document is paginated as submitted by the original source.
- Portions of this document are not fully legible due to the historical nature of some of the material. However, it is the best reproduction available from the original submission.

87

RADIOACTIVITIES IN RETURNED LUNAR MATERIALS


Semiannual Progress Report No. 12 & 13

For the period 1 August 1976 through 31 July 1977

Grant NGR 09-015-145

Principal Investigator
Dr. Edward L. Fireman


November 1977



Prepared for
National Aeronautics and Space Administration
Manned Spacecraft Center
Houston, Texas 77058

Smithsonian Institution
Astrophysical Observatory
Cambridge, Massachusetts 02138

The Smithsonian Astrophysical Observatory
and the Harvard College Observatory
are members of the
Center for Astrophysics



(NASA-CR-155337) RADIOACTIVITIES IN
RETURNED LUNAR MATERIALS Semiannual
Progress Report, 1 Aug. 1976 - 31 Jul. 1977
(Smithsonian Astrophysical Observatory) 8 p
HC A02/HF A01 CSCI 03B G3/91 55163
Unclas
N78-13985

RADIOACTIVITIES IN RETURNED LUNAR MATERIALS

Semiannual Progress Report No. 12 & 13

For the period 1 August 1976 through 31 July 1977

1. INTRODUCTION

This progress report is late. I apologize. Near the end of January 1977, we wrote similar material in abstract form¹ for the 8th Lunar Science Conference. Later, we wrote an article² for the Conference Proceedings, which was an expansion of the abstract. Near the end of July 1977, the material was brought up to date in a Lunar Proposal to NASA.³ Although the semiannual progress reports were not provided on schedule, NASA was informed of our progress.

During 1977, we continued our carbon-14 study in size-fractions of lunar soil, 10084. The 10-30 μ and 74-124 μ size-fraction results² have been supplemented by 30-37 μ results that are given in this report. The gases from the less than 10 μ fraction have been extracted and purified and its carbon-14 counting is in progress. The preliminary results on the < 10 μ fraction particularly at 600°C are dramatic. We have not started work on the 37-74 μ fraction.

During 1977, we also started a carbon-14 study in meteorites with emphasis on those recently discovered in the antarctic. We measured carbon-14 in Bruderheim, which fell on March 4, 1960, in Allan Hills #6, and in Allan Hills #8. The Allan Hills meteorites are nine meteorites⁴ found on a 100 km² patch of blue ice located on the plateau side of the Allan Hills barrier. Dr. W.A. Cassidy kindly gave us samples of Allan Hills #5, #6, #7, and #8; these meteorites are ones in which Dr. L. Rancitelli measured aluminum-26 radioactivity (private communication, 1977). Rancitelli found Allan Hills #5, #6, and #7 to have essentially contemporary aluminum-26 activities;

their estimated fall times are the following: < 100 000, < 300 000, and < 600 000 yr, respectively. On the other hand, Rancitelli measured Allan Hills #8 to have a lower than contemporary aluminum-26 activity with an estimated fall time of $\sim 1.7 \times 10^6$ yr. Good estimates for fall times of the Antarctic meteorites are a topic of high interest to lunar science because eventually a precise value for the rate of meteorite falls during the past 5 million years should be derived from them.

2. TECHNICAL DEVELOPMENTS AND MEASUREMENTS

We constructed additional low-level proportional counters of 1.5- to 5.0-cm³ volume. These counters have larger volumes than the previous ones and are more appropriate for carbon-14 counting when more than 1.0 cm³ STP of CO₂ is extracted. The counting characteristics have been improved by the baking out of the counters at ~300°C under vacuum. The cathodes for the new counters are either of Kovar or of zone-refined iron. The metal cathodes were heated at temperatures slightly below their melting points under vacuum for several hours before counter assembly. This severe heat treatment removed potassium from the material and lowered the backgrounds of the counters. The procedures for the extraction of the carbon from the samples, the conversion of carbon compounds to CO₂, and the CO₂ purification are described in previous publications^{2, 5, 6} and have not changed.

Tables 1 and 2 summarize the carbon-14 measurements on bulk lunar soils and on size fractions of soil 10084 that have been reported.² Table 3 gives new results, which will be presented at the 9th Lunar Science Conference. The 30-37 μ size fraction gives a temperature release pattern intermediate to the 10-30 and 74-125 μ fractions. The <10 μ size-fraction is now counting. Although it is too early to give values for all temperatures, it is not too early to say that there is a much larger amount of carbon-14 obtained at 600°C from the <10 μ size-fraction than from the other size-fractions. This result strengthens the evidence^{2, 5, 6} for solar-wind carbon-14 in lunar soil.

Table 3 also gives our carbon-14 results in meteorites. Our Bruderheim sample had the normal amount of carbon-14 expected in a recent fallen chondrite and the result is in accord with previous Bruderheim measures.^{7, 8} This expected amount of carbon-14 was found in the gas released at melting temperature. On the other hand, Allan Hills #6 and #8 had no observable carbon-14 released at melting. The carbon-14 releases at lower temperatures from the meteorites have not yet been investigated. A lower and upper limit for the time of fall for Allan #6 is 20 000 yrs and 300 000 yrs, respectively. The lack of carbon-14 in Allan Hills #8 is consistent with its fall date (~1.7 million years) obtained from aluminum-26 by Rancitelli (private communication, 1977).

Table 1. Carbon-14 temperature-release patterns (400–1000°C).

Sample	73221.3, .5, .10	73241.23	73261.15, .3	10084.1519	10084.937
Weight (g)	1.85	2.01	2.17	1.01	1.00
Depth (cm)	0–(~1)	0–(~5)	(~10)–(~20)	0–(~5)	0–(~5)
Grain size (μ)	bulk	bulk	bulk	10–30	74–125
Temp. (°C)	^{14}C (dpm kg ⁻¹)	^{14}C (dpm kg ⁻¹)	^{14}C (dpm kg ⁻¹)	^{14}C (dpm kg ⁻¹)	^{14}C (dpm kg ⁻¹)
400	-1.0 ± 0.9	-0.2 ± 1.0	-0.5 ± 0.8	2.3 ± 1.4	2.2 ± 1.2
600	2.0 ± 0.9	7.6 ± 1.0	0.1 ± 0.8	0 ± 1.1	2.4 ± 1.2
800	10.4 ± 1.5	1.7 ± 0.9	-0.5 ± 0.8	8.0 ± 1.2	1.5 ± 1.2
1000	24.0 ± 1.5	6.3 ± 1.0	0.9 ± 0.7	18.0 ± 1.8	-0.2 ± 1.2
Sum (600–1000)	36.4 ± 2.5	15.6 ± 1.7	0.5 ± 1.5	26.0 ± 2.5	3.7 ± 2.1

Table 2. Carbon-14 (dpm kg⁻¹) released after 1000 C extraction.

Sample	Depth (cm)	Melt	Remelt	Sum	Galactic [*]	Flare
73221.3,.5,.10	0-(~1)	16.3 ± 3.5	4.8 ± 1.2	≥21.1 ± 4.0	18	10
73241.23	0-(~5)	4.3 ± 0.7	7.0 ± 1.5	≥11.3 ± 2.8	19	6
73261.15	(~10)-(~20)	18.0 ± 2.5	3.2 ± 2.3	≥21.2 ± 3.5	21	0
10084.1519	0-(~5)	21.3 ± 2.1	3.6 ± 2.0	≥24.9 ± 3.0	19	6
10084.937	0-(~5)	30.1 ± 5.0	-3.0 ± 2.5	≥30.1 ± 5.0	19	6

^{*} ¹⁴C (dpm kg⁻¹) production by galactic and solar (R₀ = 100 Mv and 100 protons cm⁻² sec⁻¹ above 10 Mev) cosmic rays as calculated by Reedy and Arnold (1972).

Table 3. Carbon-14 and carbon temperature-release patterns.

Sample Weight (g) Grain size (μ) Temp. (°C)	10084.939		10084.941		Bruderheim		Allan Hills #6		Allan Hills #8	
	^{14}C (dpm kg ⁻¹)	CO_2 (cm ³ STP)	^{14}C (dpm kg ⁻¹)	CO_2 (cm ³ STP)	^{14}C (dpm kg ⁻¹)	CO_2 (cm ³ STP)	^{14}C (dpm kg ⁻¹)	CO_2 (cm ³ STP)	^{14}C (dpm kg ⁻¹)	CO_2 (cm ³ STP)
300	0 ± 0.8	-	-	-	-	-	-	7.25	-	9.60
400	0 ± 0.8	0.33	counting	0.49	-	-	-	-	-	-
600	0.5 ± 0.8	0.28	13.5 ± 2.0	0.56	-	2.04	-	6.24	-	4.03
800	4.2 ± 13	0.36	counting	0.43	-	-	-	-	-	-
1000	3.6 ± 1.0	0.51	counting	0.14	-	-	-	-	-	-
Sum 600-1000°	7.8	1.48	>36	1.62	-	2.04	-	13.49	-	13.63
Melt	4.0 ± 1.5	1.75	counting	1.66	60 ± 5	1.08	<3	1.02	<5	4.03
Remelt	11.0 ± 1.0	0.84	counting	1.26	<2	0.13	-	-	-	-

ORIGINAL PAGE IS
OF POOR QUALITY

3. REFERENCES

- ¹E. L. Fireman, J. DeFelice, and J. D'Amico, 1977, Carbon-14 in lunar soil (temperature-release and size-fraction study) (Abstract). In Lunar Science VIII, Part 1, pp. 299-301.
- ²E. L. Fireman, J. DeFelice, and J. D'Amico, 1977, Carbon-14 in lunar soil: Temperature-release and grain-size dependence. To appear in Proc. Eighth Lunar Sci. Conf., Geochim. Cosmochim. Acta.
- ³E. L. Fireman, 1977, Solar-wind carbon-14 and related carbon-14 measurements. Renewal of Grant NGR 09-015-145, submitted in July, NASA Control No. S-7037.
- ⁴W. A. Cassidy, E. Olsen, and K. Yanai, 1977, Antarctica: A deep-freeze storehouse for meteorites. Science (Nov. 18), vol. 198, pp. 727-731.
- ⁵E. L. Fireman, J. DeFelice, and J. D'Amico, 1976, The abundance of ^3H and ^{14}C in the solar wind. Earth. Planet. Sci. Lett., vol. 32, pp. 185-190.
- ⁶E. L. Fireman, J. DeFelice, and J. D'Amico, 1976, Solar wind ^3H and ^{14}C abundances and solar surface processes. Proc. Seventh Lunar Sci. Conf., Geochim. Cosmochim. Acta, vol. 2, pp. 525-531.
- ⁷P. S. Goel and T. P. Kohman, 1962, Cosmogenic carbon-14 in meteorites and terrestrial ages of "Finds" and craters. Science, vol. 136, pp. 875-876.
- ⁸H. E. Suess and H. Wänke, 1962, Radiocarbon content and terrestrial age of twelve stony meteorites and one iron meteorite. Geochim. Cosmochim. Acta, vol. 26, pp. 475-480.